ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	RMATION		EOR INCHEANCE COMPANY NO	
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE POLICY NUMBER	
BUILDINGOWNER'S NAME					- OLIO (NOMBER)	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and	14.01 Block Numbers, etc.)	240 (OCEAN YOWN SHIP	OCEAN CO	unty NJ.	
WARETOWN	<u> </u>	<u> </u>		NEW JERS	ZIP CODE 5au 08758	
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION						
Provide the following from t	he proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
340518	0009	8 B	9-29-1986	45	(in AO Zones, use depth)	
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: Feet NGVD (or other FIRM datum—see Section B, Item 7).						
SECTION C BUILDING ELEVATION INFORMATION						
 (b). FIRM Zones V1-V30, the selected diagram, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade levei) elevated in accost. Indicate the elevation dat under Comments on Pag 	s at an elevation of L BFE). The floor used the highest grade ad loor used as the refer adjacent to the building rdance with the commum system used in de e 2). (NOTE: If the e B, Item 7], then conve	The bottom of the boltom of the bottom of the bottom of the boltom of th	of the lowest horizontal str feet NGVD (or other FIR noe level from the selected uilding. In the selected diagram is depth number is available ain management ordinance	M datum—see Se I diagram is feet ab e, is the building's re? Yes rations: X NGV	ction B, Item 7). detect above or or or or or or or below (check is lowest floor (reference). On the control of the control o	
4. Elevation reference mark used appears on FIRM: Yes X No (See Instructions on Page 4)						
5. The reference level eleval (NOTE: Use of construct case this certificate will or will be required once cons	ion drawings is only v lly be valid for the bui	ralid if the build	ling does not yet have the e course of construction.	reference level f A post-constructi	on Elevation Certificate	
5. The elevation of the lowe Section B, Item 7).	st grade immediately	adjacent to the	e building is:	近 feet NGVD (or other FIRM datum-see	
SECTION D COMMUNITY INFORMATION						
If the community official resistance is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constructions.	dinance is:	unity's floodpla	ain management ordinanc GVD (or other FIBM datu	e, the elevation o	of the building's "lowest	


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)					
WILLIAM C. ENDRISS	NJP18# 27486					
TITLE , COMPANY	NAME .					
LAND SURVEYOR	DOLAN- ENDRISS ASSOC. P.A.					
ADDRESS						
651 WEST LACEY ROAD	FONKED RIVER NJ. 0873/					
SIGNATURE	7-16-98 PHONE 609-693-6452					
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.						
COMMENTS: DREFERENCE ELEVATION	TAKEN AT FRONT DOOR OF DWELLING					
No LOWER Floor APPARENT W/	OUTSIDE DISUAL INSPECTION.					
(2) Garage E/EUATION 5.0I						
(3) MECHANICALS NOT LOCATI	· · · · · · · · · · · · · · · · · · ·					
(4) ALL ECEUATIONS NOUD						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.