U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

OMB No. 1660-0008

a ř	ітропалі	: Read the instru	ictions on page	s 1–9. <u> </u>	Expiration Date	e: July 31, 2015
appl 7/1/15	S	ECTION A - PROP	ERTY INFORMAT	TION	FOR INSURANC	E COMPANY USE
A1. Building Owner's Name: Daniel and Virginia G. Smith					Policy Number:	
A2. Building Street Address (inclu 21 One Eye Way	uding Apt., Unit, Suite, and	d/or Bldg. No.) or P.O.	Route and Box No.	7	Company NAIC I	Number:
City: Waretown		State: N.	ZIP Code: 08	758		
A3. Property Description (Lot and Lot 11, Block 157, Ocean Towns		cel Number, Legal De	scription, etc.)			
 A4. Building Use (e.g., Residentia A5. Latitude/Longitude: Lat. 39°4 A6. Attach at least 2 photographs A7. Building Diagram Number: 8 A8. For a building with a crawlspa a) Square footage of crawlspa b) Number of permanent floor enclosure(s) within 1.0 c) Total net area of flood opening 	7'41.29" Long. 74°11'10 s of the building if the Cert ace or enclosure(s): pace or enclosure(s) od openings in the crawls foot above adjacent grade	0.98" ifficate is being used to 1118 sq ft pace e 6 1200 sq in	Horizontal Da o obtain flood insurar A9. For a bui a) Squa b) Numi withir c) Total	lding with an attac re footage of attac	hed garage: hed garage lood openings in ljacent grade openings in A9.b	400 sq ft the attached garage 2 400 sq in
•	SECTION B - FLO	OD INSURANCE F	RATE MAP (FIRM	INFORMATION	1	
B1. NFIP Community Name & Co Ocean, Township of 340518	mmunity Number:	B2. County Nam Ocean	ne:	1	B3. State: New Jersey	
B4. Map/Panel Number B5 34029C0416	B6. FIRM Inc. September 2	29, 2006 Effective	FIRM Panel e/Revised Date mber 29, 2006	B8. Flood Zone(s) AE		od Elevation(s) (Zone base flood depth) <u>6</u>
B11. Indicate elevation datum use B12. Is the building located in a Co	FIRM	Determined NGVD 1929 System (CBRS) area	Other/Source: NAVD 1988 [or Otherwise Protect	 Other/Source: _		: ⊠ No
Designation Date.		I I CBRS	I I OPA			
Designation Date:	SECTION C - BUILDS	☐ CBRS	OPA FORMATION (SU	JRVEY REQUIR	(ED)	
C1. Building elevations are based *A new Elevation Certificate w C2. Elevations – Zones A1–A30, A below according to the buildin Benchmark Utilized: RTCM-ID Indicate elevation datum used	ill be required when const AE, AH, A (with BFE), VE, g diagram specified in Iter 0 0245 I for the elevations in item	on Drawings* cruction of the building V1–V30, V (with BFE on A7. In Puerto Rico of Vertical Datur s a) through h) below.	Building Under (is complete.), AR, AR/A, AR/AE, only, enter meters. □ NGVD 1929 ☑	Construction* AR/A1–A30, AR//	☑ Finished C	
C1. Building elevations are based *A new Elevation Certificate w C2. Elevations – Zones A1–A30, A below according to the buildin Benchmark Utilized: RTCM-ID	on: Construction C	on Drawings* cruction of the building V1–V30, V (with BFE on A7. In Puerto Rico of Vertical Datur s a) through h) below.	Building Under (is complete.), AR, AR/A, AR/AE, only, enter meters. □ NGVD 1929 ☑	Construction* AR/A1-A30, AR// NAVD 1988 □ O	☑ Finished C	npiete Items C2.a-h
C1. Building elevations are based *A new Elevation Certificate w C2. Elevations – Zones A1–A30, A below according to the buildin Benchmark Utilized: RTCM-ID Indicate elevation datum used Datum used for building eleva a) Top of bottom floor (includir b) Top of the next higher floor c) Bottom of the lowest horizo d) Attached garage (top of sla e) Lowest elevation of machin	on: Construction C	ING ELEVATION IN on Drawings* cruction of the building V1–V30, V (with BFE on A7. In Puerto Rico of Vertical Datur is a) through h) below. Is that used for the BFI or enclosure floor) Zones only) In the building	Building Under (is complete.), AR, AR/A, AR/AE, only, enter meters. □ NGVD 1929 ☑	Construction* AR/A1–A30, AR// NAVD 1988 □ O Check	☐ Finished CAH, AR/AO. Com ther/Source: the measureme ☐ feet ☐ m ☐ feet ☐ m ☐ feet ☐ m	npiete Items C2.a-h
C1. Building elevations are based *A new Elevation Certificate w C2. Elevations – Zones A1–A30, A below according to the buildin Benchmark Utilized: RTCM-ID Indicate elevation datum used Datum used for building eleva a) Top of bottom floor (includir b) Top of the next higher floor c) Bottom of the lowest horizo d) Attached garage (top of sla	on: Construction on: Commer on: Construction on: Const	ING ELEVATION IN on Drawings* rruction of the building V1–V30, V (with BFE on A7. In Puerto Rico of Vertical Datur is a) through h) below. is that used for the BFI or enclosure floor) Zones only) g the building its) G) AG)	Building Under Complete.), AR, AR/A, AR/AE, only, enter meters. m: NAVD 1988 INGVD 1929 E. 5.8 10.1 N/A 6.9 9.0	Construction* AR/A1–A30, AR/A NAVD 1988 □ O Check	Finished CaH, AR/AO. Com ther/Source: the measureme feet	nt used. neters neters neters neters
C1. Building elevations are based *A new Elevation Certificate w C2. Elevations – Zones A1–A30, A below according to the buildin Benchmark Utilized: RTCM-ID Indicate elevation datum used Datum used for building eleva a) Top of bottom floor (includir b) Top of the next higher floor c) Bottom of the lowest horizo d) Attached garage (top of sla e) Lowest elevation of machin (Describe type of equipmer f) Lowest adjacent (finished) g) Highest adjacent (finished)	on: Construction on: Commer on: Construction on: Const	ING ELEVATION IN on Drawings* ruction of the building V1–V30, V (with BFE on A7. In Puerto Rico of Vertical Datur is a) through h) below. is that used for the BFI or enclosure floor) Zones only) g the building its) G) AG) stairs, including struct	Building Under Complete.), AR, AR/A, AR/AE, only, enter meters. in: NAVD 1988 In: NGVD 1929 E. 5.8 10.1 N/A 6.9 9.0 5.4 6.9 tural support 5.4	Construction* AR/A1–A30, AR/A NAVD 1988 □ O Check	Finished CaH, AR/AO. Com ther/Source: the measureme feet	nt used. neters neters neters neters neters neters neters neters
C1. Building elevations are based *A new Elevation Certificate w C2. Elevations – Zones A1–A30, A below according to the buildin Benchmark Utilized: RTCM-ID Indicate elevation datum used Datum used for building eleva a) Top of bottom floor (includir b) Top of the next higher floor c) Bottom of the lowest horizo d) Attached garage (top of sla e) Lowest elevation of machin (Describe type of equipmer f) Lowest adjacent (finished) g) Highest adjacent (finished)	on: Construction on: Co	ING ELEVATION IN on Drawings* ruction of the building V1–V30, V (with BFE on A7. In Puerto Rico of Vertical Datur s a) through h) below. Is that used for the BFI or enclosure floor) Zones only) g the building ats) G) AG) stairs, including struct EYOR, ENGINEER eyor, engineer, or arch represents my best eff y fine or imprisonment	Building Under Complete. A Building Under Complete. A RAPA, AR/AE, AR/AE, Anly, enter meters. B NGVD 1929 E. 5.8 10.1 N/A 6.9 9.0 5.4 6.9 9.0 tural support 5.4 6.9 tural support 5.4 6.9 tural support 5.4 6.9 6.9 5.4 6.9 6.9 6.9 6.9 6.9 6.9 6.9 6	Construction* AR/A1-A30, AR/A NAVD 1988	Finished CaH, AR/AO. Comether/Source: the measureme feet	nt used. neters neters neters neters neters neters neters neters
C1. Building elevations are based *A new Elevation Certificate w C2. Elevations – Zones A1–A30, A below according to the buildin Benchmark Utilized: RTCM-ID Indicate elevation datum used Datum used for building eleva a) Top of bottom floor (includin b) Top of the next higher floor c) Bottom of the lowest horizo d) Attached garage (top of sla e) Lowest elevation of machin (Describe type of equipmen f) Lowest adjacent (finished) g) Highest adjacent (finished) h) Lowest adjacent grade at low This certification is to be signed a information. I certify that the information of the	on: Construction on: Comment on: Construction on: Constr	ING ELEVATION IN on Drawings* cruction of the building V1–V30, V (with BFE on A7. In Puerto Rico of Vertical Datur is a) through h) below. Is that used for the BFI or enclosure floor) Zones only) In the building In the bu	Building Under Complete. Building Under Complete. AR, AR/A, AR/AE, only, enter meters. Building Under Complete. ARYD 1988 BUILDING 1929 BE. 5.8 10.1 N/A 6.9 9.0 5.4 6.9 9.0 5.4 6.9 9.0 tural support 5.4 6.9 tural support 5.4 6.9 Ye License Number: 2	Construction* AR/A1-A30, AR/A NAVD 1988	Finished CaH, AR/AO. Comether/Source: the measureme feet	nt used. neters neters neters neters neters neters neters neters
C1. Building elevations are based *A new Elevation Certificate w C2. Elevations – Zones A1–A30, A below according to the buildin Benchmark Utilized: RTCM-ID Indicate elevation datum used Datum used for building eleva a) Top of bottom floor (includin b) Top of the next higher floor c) Bottom of the lowest horizo d) Attached garage (top of sla e) Lowest elevation of machin (Describe type of equipmer f) Lowest adjacent (finished) g) Highest adjacent (finished) h) Lowest adjacent grade at low This certification is to be signed a information. I certify that the infor I understand that any false statem Check here if comments are Check here if attachments. Certifier's Name: Jay F. Pierson	on: Construction on: Comment on: Construction on: Constr	ING ELEVATION IN on Drawings* cruction of the building V1–V30, V (with BFE on A7. In Puerto Rico of Vertical Datur is a) through h) below. Is that used for the BFI or enclosure floor) Zones only) In the building In the bu	Building Under Complete. A RAPA, AR/A, AR/AE, only, enter meters. Building Under Complete. A RAPA, AR/AE, only, enter meters. Building Under Complete. Building Under Complete. Building Under Complete. Building Under Complete. Subject on Section of Section Sectio	Construction* AR/A1-A30, AR/A NAVD 1988	Finished CaH, AR/AO. Comether/Source: the measureme feet	nt used. neters neters neters neters neters neters neters neters

IMPORTANT: In these spaces, co	ppy the corresponding inform	nation from Section	on A.	FOR	NSURANCE COMPANY USE
Building Street Address (including Apt., 21 One Eye Way					Number:
City: Waretown	S	tate: NJ ZIP Co	de: 08758	Comp	any NAIC Number:
SECTION	D – SURVEYOR, ENGINEER,	OR ARCHITECT	CERTIFICAT	TION (CONTIN	IUED)
Copy both sides of this Elevation Certifi	icate for (1) community official, (2)	insurance agent/com	pany, and (3)	building owner.	- · · · - · · · · · · · · · · · · · · ·
Comments: Lowest Utility is air cor 9.4', water heather and electric panel EL 7. Latitude & Longitude obtained	l at elevation 11.4.Property loc	ated in Preliminary on has 6 Smart vent	FIRM Map 346	029C0416G dat	ed 1/30/15 Flood Zone 1% AE
Signature.		Date:			
SECTION E - BUILDING ELE\	ATION INFORMATION (SUR	VEY NOT REQUIF	RED) FOR Z	ONE AO AND	ZONE A (WITHOUT BFE)
 b) Top of bottom floor (including the second seco	rade, if available. Check the meas the following and check the approper cent grade (LAG). It is basement, crawlspace, or enclosure basement, crawlspace, or enclosure basement flood openings provided of the building is feet means the means of the same floor equipment servicing the building number is available, is the top of the same floor equipment servicing the same floor equipment servicing the building number is available, is the top of the same floor equipment servicing the same floor eq	urement used. In Pue priate boxes to show re) is re) is I in Section A Items 8 ret ret reters leters above or reg ig is	erto Rico only, whether the el feet feet sand/or 9 (see above or feet me below the H/ feet me ed in accordar	enter meters. evation is above meters abo pages 8–9 of Ir below the HA AG. ters above once with the con	e or below the highest adjacent ve or below the HAG. ve or below the LAG. istructions), the next higher floor G. or below the HAG.
	Unknown. The local official must				ATION
	F – PROPERTY OWNER (OR				
The property owner or owner's authorize or Zone AO must sign here. The statem					ssued of coinmunity-issued BFE)
Property Owner's or Owner's Authorize	ed Representative's Name:		· · · · · · · · · · · · · · · · · · ·		11 121 122
Address:	· · · · · · · · · · · · · · · · · · ·	City:		State:	ZIP Code:
Signature:		Date:		Telephone:	
Comments:					. <u></u>
					Check here if attachmen
The legal official who is sufficient to the	SECTION G COMMU		<u>`</u>	<u> </u>	ploto Costions & B. C. (c- C)
he local official who is authorized by law find this Elevation Certificate. Complete the	applicable item(s) and sign below.	inunity s floodplain m Check the measurem	anagement ord ent used in Ite	mance can com ms G8–G10. In	Puerto Rico only, enter meters.
	vas taken from other documentation elevation information. (Indicate the				
<u> </u>	elevation information. (Indicate the discrimination of Section E for a building located it				
	ns G4-G10) is provided for commi	•		•	· _ · _ , · · - · · · · · · · · · · · · · · · ·
G4. Permit Number:	G5. Date Permit Issued:	G6.	. Date Certific	ate Of Compliar	ce/Occupancy Issued:
G7. This permit has been issued for:	☐ New Construction ☐	Substantial Improver	ment		
G8. Elevation of as-built lowest floor (in		_	☐ feet ☐ m	eters Dat	um
G9. BFE or (in Zone AO) depth of flood	ling at the building site:		☐ feet ☐ m	eters Dat	um
G10. Community's design flood elevation	n:		☐ feet ☐ m	eters Dat	um
Local Official's Name:		Title:		_	
Community Name:		Telephor	ne:		
Signature:		Date:			
Comments:					
•					
м.		al has			Check here if attachm


ELEVATION CERTIFICATE, page 3

Building Photographs


See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corres	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 21 One Eye Way			Policy Number:
City: Waretown	State: NJ	ZIP Code: 08758	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



21 One Eye Way, Front, 10/23/15



21 One Eye Way, Rear/Left, 10/23/15


ELEVATION CERTIFICATE, page 4

Building Photographs


Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.		
uite, and/or Bldg. No.) or P.O. Route a	and Box No.	Policy Number:
State: NJ	ZIP Code: 08758	Company NAIC Number:
	uite, and/or Bldg. No.) or P.O. Route a	uite, and/or Bldg. No.) or P.O. Route and Box No.

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



21 One Eye Way, A/C / Right side/Rear, 10/23/15



FEMA Form 086-0-33 (7/12)



ICC-ES Evaluation Report

ESR-2074*

Reissued December 2012

This report is subject to renewal February 1, 2015.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMARTVENT PRODUCTS, INC. 430 ANDBRO DRIVE, UNIT 1 PITMAN, NEW JERSEY 08071 (877) 441-8368 www.smartvent.com info@smartvent.com

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: FLOODVENT™ MODEL #1540-520; FLOODVENT™ STACKING MODEL #1540-521; SMARTVENT™ MODEL #1540-510; SMARTVENT™ STACKING MODEL #1540-511; WOOD WALL FLOOD MODEL #1540-570; WOOD WALL FLOOD OVERHEAD DOOR MODEL #1540-524; SMARTVENT™ OVERHEAD DOOR MODEL #1540-514

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2009 and 2006 International Building Code® (IBC)
- 2009 and 2006 International Residential Code® (IRC)

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent® units are automatic foundation flood vents (AFFVs) employed to equalize hydrostatic pressure on nonfire-resistance-rated foundation walls, rolling-type overhead doors and building walls subject to rising or falling flood waters. The Smart Vent® units are intended for use where flood hazard areas have been established in accordance with IBC Section 1612.3 or IRC Section R3222.1. Certain models also allow natural ventilation in accordance with Section 1203 of the IBC or Section 408.1 of the IRC.

3.0 DESCRIPTION

3.1 General:

When subjected to pressure from rising water, the Smart Vent® AFFVs disengage, then pivot open to allow flow in either direction to equalize water level and hydrostatic

pressure from one side of the foundation to the other. The AFFV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyant release device causes the unit to unlatch, allowing the plate to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel. The SmartVENT™ Stacking Model #1540-511 and FloodVENT™ Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

3.2 Engineered Opening:

The AFFVs comply with the design principle noted in Section 2.6.2.2 of ASCE/SEI 24 for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent AFFVs must be installed in accordance with Section 4.0.

3.3 Model Sizes:

The FloodVENT™ Model #1540-520, SmartVENT™ Model #1540-510, FloodVENT™ Overhead Door Model #1540-524, and SmartVENT™ Overhead Door Model #1540-514 units measure 15³/₄ inches wide by 7³/₄ inches high (400 by 196.9 mm). The Wood Wall Flood Model #1540-570 and Wood Wall Flood Overhead Door Model #1540-574 units measure 14 inches wide by 8³/₄ inches high (355.6 by 222.25 mm). The SmartVENT™ Stacking Model #1540-511 and FloodVENT™ Stacking Model #1540-521 units measure 16 inches wide by 16 inches high (406.4 by 406.4 mm).

3.4 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with ¹/₄-inch-by-¹/₄-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32 903 mm²) of net free area to supply natural ventilation. The SmartVENT™ Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65 806 mm²) of net free area to supply natural ventilation. Other AFFVs recognized in this report do not offer natural ventilation.

4.0 INSTALLATION

SmartVENT[®] and FloodVENT™ are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. The mounting straps allow mounting in wood, masonry and

*Revised June 2014

